

APPENDIX 1

Formulas used for Species without Mother's Milk Composition

<u>Species</u>	<u>Formula</u>
AFRICAN SERVAL (Felidae felis serval)	33/40 alone
CAPUCHIN (Cebidae cebus)	Squirrel Monkey Formula
DAMA WALLABY (Macropodidae wallabia eugenii)	Tammar Wallaby Formula #1
HARBOR SEAL (Phocidae phoca groenlandica)	30/55 and Salmon Oil or 30/55 (1.75 parts water to 1 part powder)
JAGUAR (Felidae panthera onca)	Leopard Formula #2
KILLER WHALE (Delphinidae orcinus orca)	30/55
MARMOSET (COMMON) (Callithricidae callithrix jacchus)	Cotton-Headed Tamarin Formula
RED-HANDED TAMARIN (Callithricidae saguinus midas)	Cotton-Headed Tamarin Formula
SPOTTED SKUNK (Mustelidae spilogale putorius)	Striped Skunk Formula
STELLAR SEA LION (Otariidae eumetopias jubatus)	30/55
TIGER (Felidae panthera tigris)	Lion Formula #2
TURKOMEN MARKOHR (MOUNTAIN GOAT) (Bovidae capra falconeri)	Ibex Formula #1
WALRUS (Odobenidae odobenus rosmarus)	30/55 2.5 parts water to 1 part powder then 2 parts water to 1 part powder